

ateljé Lyktan




BUMLING MINI

Design by Anders Pehrson


A design classic

"It's like a big boulder, Anders!" a friend of designer Anders Pehrson is believed to have said, when he saw the new pendant lamp at the lighting exhibition in Gothenburg in 1968. The lamp was bulky, British racing green and 60 cm in diameter.

This was the birth of Bumling, a Swedish design classic. During the 1970s, a whole range of Bumling lamps was launched. Table, floor and wall versions, alongside many variations on the original pendular Bumling and the outdoor versions.







White
NCS S 0500-N G90



Technical specifications

Dimmer	Luminaire with GU10 light source is dimmable via rotary dimmer on luminaire housing.
Connection	Supplied with terminal block in junction box 3x2.5 mm ² .
Material	Shade in spun aluminium.
Diffuser	Circular grid in opal acrylic combined with diffuser film.
Light source	Includes 230V LED light source, colour temperature 2700K. Colour rendering: CRI 80. Lifespan: L70B10 50 000h. Or selectable GU10 light source.
Other	The picture to the left is not representative of the parts in all family members (pendant, table, wall and floor) and thus the image may differ from reality depending on which application is selected
Energy classification	AC version contains a light source with energy efficiency class F to regulation (EU) No 2019/2015



ateljé Lyktan

Head Office

Fyrvaktaregatan 7, SE-296 81 Åhus, Sweden

Tel: +46 (0)44 28 98 10

E-mail: info@ateljelyktan.se

www.ateljelyktan.se